# LIQUID WAX FOR POLISHING EDGES, BULLNOSES AND CORNERS OF MARBLE, GRANITE, TERRAZZO, ENGINEERED STONE AND ALL POLISHABLE SURFACES



Master Line

MADE IN ITALY 🛑 🔘

www.bellinzoni.com

info@bellinzoni.com

## PRODUCT DESCRIPTION

Premium liquid wax formulated for the polishing of bullnoses, corners and edges of marble, granite, terrazzo, agglomerates and composite materials to obtain a water repellent, long lasting, high gloss, mirror finish. Application of product enhances and uniforms the natural colours of material, hiding eventual defects in material and shines difficult surfaces such as corners, statues and vases when using traditional methods. Rapid and immediate results due to its fast-evaporating formulation.

#### APPLICATION SURFACES

Marble, granite, terrazzo, agglomerated and stones

### CHEMICAL AND PHYSICAL PROPERTIES

APPEARANCE:	Liquid	
COLOR:	Clear Transparent	
ODOR:	Characteristic	
SPECIFIC GRAVITY AT 20°C:	1,48 +/- 0,05 g/cm <sup>3</sup>	
SOLUBILITY':	Insoluble	
PH:	N.A.	
STORAGE AT 20°C:	24 months in original packaging	



### HOW TO USE

ALWAYS TEST PRODUCT FIRST following below indications, before proceeding with complete product application. Ensure that surfaces to be treated are completely dry and clean, free of dirt, dust, grime, surface incrustations or old

On a clean and dry surface spread the product uniformly over the area to be polished using a clean cotton cloth.

Allow product to dry completely, before polishing or buffing using a fine steel wool pad until desired gloss is obtained. Do not polish if product has not yet dried completely.

#### RECOMMENDATIONS

To facilitate product penetration, we suggest warming the surface to be treated before product application. Polish will melt and penetrate better into the pores.

The longer the product dries, the better the result.

To lengthen drying time, product can be diluted using a turpentine-based solvent @20%

If applied to floors, surface may become slippery. Slipperiness may decrease over a few days after initial washing.

Do not apply to synthetic materials such as plastics, rubber and linoleum.

Before use, read completely product label, technical data sheet and safety data sheet.

# INDICATED COVERAGE

With 1kg of product on polished marble and granite (above 800 grit) it is possible to polish 25/30m<sup>2</sup>

# **PACKAGING**

CODE	CONTENT	PCS PER BOX
002APL01	1 lt	6
002APL05	4 lt	2
002APL03	20,5 lt	1

For further information: www.bellinzoni.com

ATTENTION: Read completely the product label before proceeding with product use. Maintain product in its original container/packaging. Do not disperse packaging in the environment and dispose of separately in accordance with local regulations. Keep out of the reach of children. Always test product first on a small hidden area so to verify final results and product compatibility with material. Product may darken and change the original colour on certain materials. Product does not protect from acid-based substances. While using the product wear indicated protective PPE and clothing and read completely the safety data sheet.

results of tests and experiments carried out in our laboratories and through reliable operators within the stone business and have to be considered here reported does not constitute an implicit or a formal guarantee. The end user will undertake the full responsibility in the usage of the product, final characteristics. Bellinzoni has to right to modify any information mentioned on this document, at any time and without notice. Bellinzoni is the property rights. Bellinzon will not be held responsible for its incorrect use and will follow legal percussions as of current law. previous versions. All data indicated in this document are the results gifactors which can influence the final results, the information here reproduced as a preventive measure so to understand its full and final chiral than the copy or modify in part without permission can infining proper sclaimer: the prese liable. However, be aking sure to test f le owner of all trad